#### **Benefits**

Safe and healthy	FloorScore® Certified for compliance with rigorous indoor air quality requirements
	CARB II Certified for protection from exposure to toxic air contaminants
Environmentally-Friendly	Reduced eco footprint
	CARB II Certified for protection from exposure to toxic air contaminants
	FloorScore® Certified for compliance with rigorous indoor air quality requirements
Performant and durable construction	BLC Certified         BLC Certified
	Can be sanded and refinished
	Ads value to your home
	Resistant to normal changes in temperature - can be installed in basement
Easy and versatile Installation	Coordinating moldings available
	Can be installed floating, glued or nailed/stapled
	Compatible with embedded radiant heating
	Can be installed on all floor levels, even on walls
Notable look	Wide and long planks
	Matte finish
	Designers' Choice - This product showcase the latest trends in terms of color variations
	Oil finish for the most natural look and texture
	Authentic handscraped and brushed finish.
Best-in-class Warranty	30 Days No Questions Asked Replacement
Quickship	Stock product for faster delivery



### **Product Specifications**

Market Segments	Builder, Pro, Residential
Brand	UrbanTerra
Collection	Regale
Construction	Engineered Hardwood
Format	Plank
Abrasion Resistance	Residential Use
Species	European White Oak
Grade	Antique
Core	Eucalyptus
Width	7.48" (190 mm)
Total Thickness	0.591" (15 mm)
Wood Veneer Thickness	0.1570" (4.0000 mm)
Wood Veneer	Dry Solid Sawn
Edges	4-Sided Micro Bevel
Locking System	Tongue & Groove
Finish	Handscraped, Brushed Smoked And Distressed
Top Surface	UV-Cured Oil
Gloss	Matte
Pattern Repeat	n/a
Formaldehyde	TSCA Title VI
Length	74.803" (1900 mm)
Certifications	FloorScore, BLC Certification, QuickShip, Designers'
	Choice, TSCA Title VI Compliant
Installation Methods	Floating, Compatible with embedded radiant heating,
	Glued, Nail / Staple
	<b>Engineered Hardwood Installation Guide Tongue</b>
	& Groove
	_

☑ Wall Installation Guide - Hardwood

#### Warranties

- ☑ Engineered Hardwood Warranty Guide
- **Engineered Hardwood Maintenance Guide (UV Oiled)**

**Residential use** 

Structural Integrity Lifetime No Questions Asked Replacement 30 days Finish 25 Years





# Packaging information


Units Per Box **Boxes Per Pallet** Box Weight Square Meters Per Box Square Meters Per Pallet Square Feet Per Box Square Feet Per Pallet

6 50 49.18 Pounds (22309.51 Grams) 2.17 108.30 23.31 1165.74

### **Moldings**







Coordinating



Flushmount Stair Nose -Square Coordinating 92" X 0.591" X 3.110" (2337 mm X 15 mm X 79 mm)



Square Nose Coordinating 92" X 0.591" X 2.125" (2337 mm X 15 mm X 54 mm)



### Styles offered



#4106 (Plank) Champagne Handscraped, Brushed Smoked And Distressed Dropped Product



#4107 (Plank) Chianti Handscraped, Brushed Smoked And Distressed Limited Stock



#4108 (Plank) Chardonnay Handscraped, Brushed Smoked And Distressed Limited Stock



#4109 (Plank) Calabrese Handscraped, Brushed Smoked And Distressed Limited Stock



#4110 (Plank) Shiraz Handscraped, Brushed Smoked And Distressed Dropped Product



#4111 (Plank) Pinot Handscraped, Brushed Smoked And Distressed Dropped Product



#4112 (Plank) Merlot Handscraped, Brushed Smoked And Distressed Dropped Product



**#4113 (Plank)** Malbec Handscraped, Brushed Smoked And Distressed Dropped Product



**#4114 (Plank)** Amarone Handscraped, Brushed Smoked And Distressed



**#4115 (Plank)** Chenin Handscraped, Brushed Smoked And Distressed



**#4116 (Plank)** Cortese Handscraped, Brushed Smoked And Distressed



**#4117 (Plank)** Gamay Handscraped, Brushed Smoked And Distressed



**#4118 (Plank)** Grenache Handscraped, Brushed Smoked And Distressed



**#4119 (Plank)** Sauvignon Handscraped, Brushed Smoked And Distressed



### Accessories



**Refresher Oil - Clear - 2 Litres** 67.6 oz (2 Litres)

Porous Coverage 1,600 - 2,100 sq.ft. / L (149 - 195 m<sup>2</sup> / L)

☑ SDS - Refresher Oil



Refresher Oil - Clear - 1 Litre 33.8 oz (1 Litre)

Porous Coverage 1,600 - 2,100 sq.ft. / L (149 - 195 m<sup>2</sup> / L)

☑ SDS - Refresher Oil

